

# Appendix A: Glossary of Terms

Term	Definition	Examples/formats Definition
A&I database	A non-full text database that typically contains article metadata, abstracts and subject classifications. Used by researchers to locate publications relevant to their research	PubMed, PsycInfo
A&I service	A vendor or website that provides A&I databases.	American Psychological Association (APA)
Abstract	A short summary of the content of an article or content item.  A detailed view of article metadata on an online host that includes the abstract but does not include the full text of them. Accessing the abstract/detailed view falls into the usage category of “investigations”	
Abstract and Index Database Host	See A&I service	APA; EBSCOhost; ProQuest
Access denied	An attempt by a user to access content on a content host that was denied because their institution lacked a proper license or simultaneous user limits specified in the license were exceeded.	
Access denied: limit_exceeded	User is denied access to a content item because the simultaneous user limit for their institution’s license would be exceeded.	
Access denied: no_license	User is denied access to a content item because the user or the user’s institution does not have access rights under an agreement with the vendor	
Access_Method	A COUNTER attribute indicating whether the usage related to investigations and requests was generated by a human user browsing and searching a website (“regular”) or by Text and Data Mining processes (TDM)	Regular, TDM
Access_Type	A COUNTER attribute used to report on the nature of access control restrictions, if any, placed on the	Controlled, OA_Gold_APC, OA_Gold_Non_APC, OA_Delayed, Other_Free_to_Read

	content item at the time when the content item was accessed.	
Aggregated Full Content Database	A database which consists of full-text articles or other non-textual content beyond bibliographic information and that is sold as a self-contained/preset grouping of data.	Academic Search Complete
Aggregated Full Content Databases Host	A content host that provides access to aggregated full content databases.	EBSCOhost; ProQuest
Aggregator	A type of content provider that hosts content from multiple publishers, delivers content direct to customers and is paid for this service by customers.	EBSCOhost; Gale; Lexis Nexis; ProQuest
Article	An item of original written work published in a journal, other serial publication, or in a book. An article is complete, but usually cites other relevant published works in its list of references, if it has one.  A COUNTER Data_Type used to identify and filter usage of content defined as articles.	
Article header	See metadata	
Article_Version	Defined by ALPSP and NISO, a classification of the version of an article as it goes through its publication life-cycle.  An element on a COUNTER Expanded Item report that identifies the version of the article being accessed.  Typically, COUNTER usage reporting only reflects usage of the following Article Versions (of the 7 versions defined by the ALPSP/NISO JAV Technical Working Group): Accepted Manuscript (AM); Version of Record (VoR); Corrected Version of Record (CvOR); Enhanced Version of Record (EVoR)	AM, VoR, CvOR, EVoR
Articles in Press	Full-text articles that have been accepted for publication in a journal	

	and have been made available online to customers, and which will be assigned a publication date of the current year or a future year.	
Author(s)	The person/people who wrote/created the items whose usage is being reported.	
Automated search	<p>A search from a discovery layer or similar technology where multiple databases are searched simultaneously with a single query from the user interface. The end user is not responsible for selecting which databases are being searched. Usage of this nature is reported as "Searches_Automated".</p> <p>A search run repeatedly (i.e. daily or weekly) by a script or automated process. Usage of this nature must not be included in COUNTER reports.</p>	
Automated Search Agent	A script or automated process that runs a search repeatedly, usually at pre-set intervals such as daily or weekly.	
AV Play Event	A client-side play event representing the start of data processing made by a valid browser, which is not recorded concurrently with an event of the same type (JICWEBS). AV Play Events would be reported using the "requests" category of metric types.	
AV Request	See AV Play Event	
Backfile	See Archive	
Book	<p>A non-serial publication of any length available in print (in hard or soft covers or in loose-leaf format) or in electronic format.</p> <p>A COUNTER Data_Type.</p>	
Book Section	See Section_Type	
Book Segment	See Section_Type	
Bulk Download	A single event where multiple content items are downloaded to the user's computer.	
Cache	Automated system that collects items from remote servers to serve closer and more efficiently to a given population of users. Often	

	<p>populated by robots or modern browsers (qv).</p> <p>Note: Publishers take steps to prevent local caching of their content, i.e. including appropriate headers on their site to restrict caching.</p>	
Chapter	<p>A subdivision of a book or of some categories of reference work; usually numbered and titled.</p> <p>A COUNTER Section_Type.</p>	
Collection	<p>A subset of the content of a service; a collection is a branded group of online information products from one or more vendors that can be subscribed to/licensed and searched as a complete group.</p> <p>For the COUNTER reporting is restricted to pre-set collections that are defined like databases. See Database.</p> <p>Note a package or bundle provided by a publisher is not considered a database or collection.</p>	
Component	<p>A uniquely identifiable constituent part of a content item composed of more than one file (digital object).</p> <p>See also Item_Component</p>	
Consortium	<p>A group of institutions joining together to license content.</p>	OhioLink
Consortium member	<p>An institution that has obtained access to online information resources as part of a consortium.</p> <p>A consortium member is defined by a subset of the Consortium's range of IP addresses or by other specific authentication details.</p>	Ohio State University
Content host	<p>A website that provides access to content typically accessed by patrons of libraries and other research institutions.</p>	
Content item	<p>A generic term describing a unit of content accessed by a user of a content host. Typical content items</p>	

	include articles, books, chapters, multimedia, etc.	
Content Provider	An organization whose function is to commission, create, collect, validate, host, distribute and trade information in electronic form	Any Publisher, The Metropolitan Museum, Magnum, JSTOR
Controlled	An Access Type. At the time of the transaction, the content item was not open (i.e. behind a paywall) because access is restricted to authorized users. Access of content due to a trial subscription would be considered "Controlled" not "Other_Free_to_Read".	
COUNTER Compliance Pending	Status of a vendor who is currently not compliant but whose audit is in progress or scheduled.	
Customer	An individual or organization that access a specified range of the vendor's services and/or content and is subject to terms and conditions agreed with the vendor	
Customer_ID	The field in the COUNTER reports which indicates whose usage is being reported. May be a proprietary or standard value such as ISNI.	isni=000000012150090X
Customer-authenticated user	User authentication is provided by a referring service that has an agreement with the online resource that allows the referring services own users access to the online resource	Referring URL, Athens
Data Repository	A content host that provides access to research data	Figshare
Data_Type	A classification identifying one of various types of content. COUNTER discriminates between the following Data_Types: <ul style="list-style-type: none"> <li>• Article</li> <li>• Book</li> <li>• Book Segment</li> <li>• Collection</li> <li>• Database</li> <li>• Dataset</li> <li>• Journal</li> <li>• Multimedia</li> <li>• Platform</li> <li>• Repository Item</li> </ul>	
Database	A collection of electronically stored data or unit records (facts,	Social Science Abstracts, Reaxys

	<p>bibliographic data, texts) with a common user interface and software for the retrieval and manipulation of data (NISO).</p> <p>A COUNTER Data_Type used when reporting search activity at the database level.</p>	
Dataset	See Data_Type	
Delayed Open Access	See OA_Delayed	
Discovery Service	<p>An online information host that provides that capability for the users to search a wide variety of content from a single search interface. Access to content is facilitated through direct access to content hosted on the site as well as through a variety of linking technologies to access content at other content sites.</p>	EDS, Primo, Summon
Discovery Services Provider	An organization that hosts a Discovery Service.	EBSCOhost (EDS); ProQuest (Primo/Summon)
DOI (Digital Object Identifier)	<p>The Digital Object Identifier is a means of persistently identifying a piece of intellectual property (a creation) on a digital network, irrespective of its current location (www.doi.org)</p> <p>DOIs may be assigned at the title, article/chapter, or component level</p>	
Double-click	<p>Repeated click on the same link by the same user within a period of 30 seconds.</p> <p>COUNTER requires that that double-clicks that occur in an interval of 30 seconds or less must be removed.</p>	
eBook Host	A content host that provides access to eBook and reference work content.	EBL; EBSCOhost; ScienceDirect
eBook, E-Book	Monographic content that is published online via the internet.	
eJournal	Serials content that is published online via the internet.	
eJournal Host	A content host that provides access to online serial publications (journals, conferences, newspapers, etc.) content.	"ScienceDirect
Embargo period	The period of time before an article is moved out from behind the	

	paywall, i.e. from CONTROLLED to OA_DELAYED	
ErrorNo	A unique numeric code included as part of a COUNTER SUSHI exception that identifies the type of error that applies to a report.	
Exception_Description	An element that is part of a COUNTER_SUSHI exception that describes an error identified by an Error_No.	
Exceptions	An optional element that may be included with a COUNTER report indicating of some difference between the usage that was requested and the usage that is being presented in the report. An exception includes the following elements: Error_No Exception_Description Data	3040: Partial Data Returned (request was for 2016-01-01 to 2016-12-31; however, usage is only available to 2016-08-30).
Master Reports	Reports which contain additional filters and breakdowns beyond those included in the standard COUNTER reports.	
Database Master Report	Reports which contain additional filters and breakdowns beyond those included in the standard COUNTER reports, and are aggregated to the database level.	
Item Master Report	Reports which contain additional filters and breakdowns beyond those included in the standard COUNTER reports, and are reported at the content item level, such as individual articles, books and chapters.	
Platform Master Report	Reports which contain additional filters and breakdowns beyond those included in the standard COUNTER reports, and are aggregated to the platform level.	
Title Master Report	Reports which contain additional filters and breakdowns beyond those included in the standard COUNTER reports, and are aggregated to publication title level rather than towards individual articles/chapters.	

Federated Search	A federated search application allows users to simultaneously search multiple databases hosted by the same or different vendors with a single query from a single user interface. The end user is not responsible for selecting the database being searched.	MetaLib, EBSCOhost Connection
Filters	A limits or restrictions placed on the usage to be included in a COUNTER report usually expressed as a name-value pair, i.e. Access_Type=Controlled.	Metric_Type, Access_Type
Full Content Aggregation	See Full Text Database	
Full text database	A database which consists of full-text articles or other non-textual content beyond bibliographic information and that is sold as a self-contained/pre-set grouping of data.	
Full text article	The complete text, including all references, figures and tables, of an article, plus links to any supplementary material published with it.	
Gaming	When a user generates multiple requests to a content item with the purpose to increase its usage numbers.	
Gold Open Access	See OA_Gold	
Host	See Content Host	Ingenta, Semantico, SpringerLink
Host Site	See Content Host	
Host Types	A categorization of content hosts used by COUNTER to facilitate implementation of the Code of Practice. The Code of Practice identifies the host types that apply to the various artefacts in the code of practice allowing a content host to quickly identify the areas of the Code of Practice to implement by identifying the Host Types categories that apply to them.	<ul style="list-style-type: none"> <li>• E-Journal</li> <li>• eBook</li> <li>• Multimedia</li> <li>• Aggregated Full Content</li> <li>• A&amp;I Database</li> <li>• Discovery Service</li> <li>• Repository</li> <li>• Data Repository</li> <li>• Scholarly Collaboration Network</li> </ul>
host UI, host-site UI		
hybrid publication	A publication which is available via a subscription license but which also contains articles available as Gold Open Access	
Institution	The organization for which usage is being reported.	

Institution_ID	A unique identifier for an institution. In COUNTER reports the Institution_ID is presented as a combination of the identifier type and its value. Proprietary identifiers can be included and will have a type that identifies the content platform that defines them.	isni=000000012150090X ebscohost=s12345
Institution_Name	The name of the institution.	
Institutional Identifier	See Institution_ID	
Internet robot,crawler, spider	Any automated program or script which visits websites and systematically retrieves information from them, often to provide indexes for search engines.	
investigation	A category of COUNTER Metric Types that represent a user accessing information related to a content item (i.e. abstract or detailed descriptive metadata of an article) or a content item itself (i.e. full text of an article).	
IP Address	Internet Protocol (IP) address of the computer on which the session is conducted and may be used by content providers as a means of authentication and authorization and for identifying the institution a user is affiliated with.  The identifying network address (typically four 8-bit numbers, aaa.bbb.cc.dd) of the user's computer or proxy.	
ISBN (International Standard Book Number)	The International Standard Book Number (ISBN) is a unique 13-digit number used to identify a book.	
ISNI	International Standard Name Identifier is a standard that assigned globally unique identifiers to people and organizations.  COUNTER defines ISNI as an optional identifier for an institution.	
ISSN (International Standard Serial Number)	The International Standard Serial Number (ISSN) is a unique 8-digit number used to identify a print or electronic periodical publication. Periodical published in both print and electronic form may have two ISSNs, a print ISSN and an electronic ISSN.	

Issue	A collection of journal articles associated with each other via allocation of a specific issue number and presented as an identifiable unit online and/or as a physically bound and covered set of numbered pages in print.	
Issue date	The date of release by the publisher to customers of a journal issue.  When used for COUNTER YOP (year of publication) reporting, the issue date of the print should be used when print and online issue dates differ.	
Item	Collective term for content which is reported at a high level of granularity, e.g. full-text article (original or a review of other published work); an abstract or digest of a full-text article; a sectional HTML page; supplementary material associated with a full-text article (e.g. a supplementary data set), or non-textual resources, such as an image, a video, audio, dataset, piece of code, chemical structure or reaction).	Full text article, TOC, Abstract, Database record, Dataset, Thesis
Item Reports	A series of COUNTER reports that provide usage data at the item or item-component level.	
Item_Component	A series of elements in a COUNTER Item Report that describe a uniquely identifiable constituent part(s) of a content item composed of more than one file (digital object).	
Total_Item_Requests	A COUNTER Metric Type that represents the number of times users requested the full content (i.e. full text) of an item. Requests may take the form of viewing, downloading, emailing or printing content provided such actions can be tracked by the content provider's server.	
Total_Items_Investigations	A COUNTER Metric Type that represents the number of times users accessed the content (i.e. full text) of an item, or information describing that item (i.e. an abstract).	

Journal	<p>A serial that is a branded and continually growing collection of original articles within a discipline.</p> <p>A COUNTER Data_Type used as a generic term to classify content that is serial in nature.</p>	Tetrahedron Letters
Journal DOI	See DOI	
Journal Reports	See Title Reports	
License	A contract or agreement that provides an organization or individual (licensee) with the right to access certain content.	
Limit_ Exceeded	A COUNTER Metric Type. User is denied access to a content item because the simultaneous user limit for their institution's license would be exceeded.	
Logfile analysis	Logfile analysis is a method of collecting usage data in which the web server records all of its transactions	
Metadata	A series of textual elements that describe a content item but does not include the item itself. For example, metadata for a journal article would, typically include: publisher; journal title, volume, issue and page numbers; copyright information; list of names and affiliations of the authors; author organization addresses; article title and abstract of the article; and keywords or other subject classifications.	
Metadata Provider	An organization, such as a publisher, that provides descriptive article/item-level metadata to an online search service.	
Metric Types, Metric_Type	An attribute of COUNTER usage that identifies the nature of the usage activity.	Total_Requests Searches_Regular
Monograph Text	see book.	
Multimedia	Non-textual media such as images, audio and video.	
Multimedia Collection	<p>A grouping of multimedia items that are hosted and searched as a single unit and behave like a database.</p> <p>See also Database</p>	

Multimedia Full Content Unit	A content item which consists of audio/audio-visual material rather than text.	Audio, image, video
Multimedia Host	A content host that provides access to multimedia content.	
Multimedia Item	An item of non-textual media content such as an image, streaming or downloadable audio or video files. (Does not include thumbnails or descriptive text/metadata)	
No_License	A COUNTER Metric Type. User is denied access to a content item because the user or the user's institution does not have access rights under an agreement with the vendor.	
OA_Delayed	A COUNTER Access_Type. At the time of the transaction, the content item was available as open access because publisher's embargo period is expired (Delayed Open Access).	
OA_Gold	A COUNTER Access_Type. At the time of the transaction, the content item was immediately and permanently available as Open Access because an APC (article processing charge) has been paid. Content items may be in hybrid publication or fully open access publication.  Note that content items offered as Delayed Open Access (open after an embargo period) would be classified as OA_Delayed.	
Online_ISSN	The ISSN assigned to the online manifestation of a serial work.  See also ISSN	1533-4406
Open Access	Open access (OA) refers to online research outputs that are free of all restrictions on access (e.g. access tolls) and free of many restrictions on use (e.g. certain copyright and license restrictions). Open access can be applied to all forms of published research output, including peer-reviewed and non-peer-reviewed academic journal articles, conference papers, theses, book	

	chapters, and monographs. [wikipedia]	
ORCID	An international standard identifier for individuals (i.e. authors) to use with their name as they engage in research, scholarship, and innovation activities.  A COUNTER identifier type for item contributors.  See <a href="http://orcid.org">http://orcid.org</a>	
Other_Free_to_Read	A COUNTER Access_Type. At the time of the transaction, the content item was freely available for reading for reasons such as promotions. This also covers all journals where all articles are free to all users because the journal is funded through advertising.	
Page tag	Page tagging is a method of collecting usage data which uses, for example, JavaScript on each page to notify a third-party server when a page is rendered by a web-browser.	
Parent	In COUNTER Item Reports the Parent is the publication an item is part of. i.e. for a journal article, the parent is the journal; and for a book chapter, the parent is the book.	
Paywall	A term used to describe the fact that a user attempting to access a content item must be authorized by license or must pay a fee before the content can be accessed.	
Platform	An interface from an aggregator, publisher or other online service that delivers the content to the user and that counts and provides the COUNTER usage reports.	Wiley Online Library, HighWire
Platform Reports	A series of COUNTER reports that provide usage aggregated to the platform level.	
Print_ISSN	The ISSN assigned to the print manifestation of a work.  See also ISSN	0028-4793
Proprietary Identifier	See Proprietary_ID	
Proprietary_ID	A unique identifier given by publishers and other content providers to a product or collection of products.	

Provider Discovery Reports	A series of COUNTER reports that discovery services provide to content providers so that the providers can see how their content is being used.	
Provider ID	A unique identifier for a content provider and used by discovery services and other content sites to track usage for content items provided by that provider.	
Publication Date, Publication_Date	An optional field in COUNTER item reports and Provider Discovery Reports. The date of release by the publisher to customers of a content item.	
Publisher	An organization whose function is to commission,create, collect, validate, host, distribute and trade information online and/or in printed form	Sage, Cambridge University Press
Publisher_ID	A unique identifier for a publisher. In COUNTER reports the publisher ID is presented as a combination if identifier type and value.	
Reference Work	An authoritative source of information about a subject: used to find quick answers to questions. The content may be stable or updated over time.	Dictionary, encyclopedia, directory, manual, guide, atlas, bibliography, index.
References	A list of works referred to in an article or chapter, giving sufficient detail to enable the identification and location of each work	
Regular	A COUNTER Access_Method. Indicates that usage was generated by a human user browsing/searching a website, rather than by Text and Data Mining processes.	
Report Abbreviations	A short name or identifier of COUNTER report used by the COUNTER_SUSHI to specify which report to provide.	JTR1
Report Attribute, Report_Attributes	In COUNTER Reports the Report Attributes can be used to modify how a report should be presented. Typically, a Report Attribute will not limit or filter the usage being presented.	Exclude_Report_Header; Attributes_To_Show=Access_Type YOP

Report Description	The brief description of a COUNTER Report.	Usage by Month and Journal
Report Filter	In COUNTER Reports the Report Filter can be used to limit the usage returned in a report.	Data_Type=journal; Is_Archive=N
Report Item Attributes	A series of elements that describe the nature of usage for an item and may include: Access_Type, YOP, IS_Archive, etc.	
Report Name	The name of a COUNTER report.	Journal Title Report 1
Reporting Period, Reporting_Period	The total time period covered in a usage report.	
Repository	A host who provides access to an institution's research output. Includes subject repositories, institution, department, etc.	Cranfield CERES
Repository Item	A content item hosted in a repository, which consists of one or more digital objects such as text files, audio, video or data, described by associated metadata.	
Requests	A category of COUNTER Metric Types that represent a user accessing content (i.e. full text of an article)	
Research Data	Data that supports research findings and may include databases, spreadsheets, tables, raw transaction logs, etc.	
Scholarly Collaboration Network	A service used by researchers to share information about their work.	Mendeley, Reddit/science
Scholarly Collaboration Network Data Aggregator	A host who provides access to metrics on communications and interactions on scholarly collaboration networks.	Altmetric.com
Search	A user-driven intellectual query, typically equated to submitting the search form of the online service to the server.	
Searches_Regular	<p>A COUNTER Metric Type used to report on searches conducted by a user on a host where the user is in control over which databases can be searched.</p> <p>Note that if a search is conducted across multiple databases, each database searched can count that search.</p> <p>See also Regular Search</p>	

Searches_Automated	A COUNTER Metric Type used to report searches conducted through a discovery service or by an automated search agent.  See also Automated Search	
Searches_Federated	A COUNTER Metric Type used to report searches conducted through a Federated Search service.  See also Federated Search	
Searches_Platform	A COUNTER Metric Type used to report searches conducted on a platform.  Note that searches that are conducted against multiple databases on the platform will only be counted once as a "search_platform".	
Section	The first level of subdivision of a book or reference work.	Chapter, entry
Section Types, Section_Type	A COUNTER attribute that identifies the type of section that was accessed by the user.	Article, Book, Chapter
Serial	A publication in any medium issued in successive parts bearing numerical or chronological designations and intended to be continued indefinitely. This definition includes periodicals, newspapers, and annuals (reports, yearbooks, monographic series (NISO)	
Service	See Content Host	ScienceDirect, Academic Universe
Session	A successful request of an online service. It is one user connects to the service or database and ends by terminating activity that is either explicit (by leaving the service through exit or logout) or implicit (timeout due to user inactivity) (NISO)	
Session Cookie	A data file that a web server can place on a browser to track activity by a user and attribute that usage to a session,	
Session ID	A unique identifier that identifies a unique user session and is used to group usage events for double-click; unique_item and unique_title filters.	
Sites	See hosts	

SUSHI	<p>An international standard (Z39-93) that describes a method for automating the harvesting of reports. COUNTER_SUSHI is an implementation of this standard for harvesting COUNTER reports.</p> <p>COUNTER compliance requires content hosts to implement COUNTER_SUSHI.</p>	
TDM	<p>Text and data mining (TDM) is a computational process whereby text or datasets are crawled by software that recognizes entities, relationships and actions. (STM Publishers)</p> <p>An Access_Method in a COUNTER report used to separate regular usage from usage that represents access to content for the purposes of text and data mining.</p>	
Text and Data Mining	See TDM	
Title	The name of a book, journal or reference work.	
Title Reports	A series of COUNTER report where usage is aggregated to the publication title level (i.e. book or journal.)	
Transaction	A usage event	
Turnaway	See Access Denied	
Unique_Item_ Investigations	A COUNTER Metric Type that represents the number of unique content items investigated in a user-session. Examples of items are articles, book-chapters, multimedia files.	
Unique_Item_ Requests	A COUNTER Metric Type that represents the number of unique content items requested in a user-session. Examples of items are articles, book-chapters, multimedia files.	
Unique_Title_ Investigations	A COUNTER Metric Type that represents the number of unique titles investigated in a user-session. Examples of titles are journals and books.	
Unique_Title_ Requests	A COUNTER Metric Type that represents the number of unique	

	titles requested in a user-session. Examples of titles are journals and books.	
URI	In information technology, a Uniform Resource Identifier (URI) is a string of characters used to identify a resource. Such identification enables interaction with representations of the resource over a network, typically the World Wide Web, using specific protocols. [Wikipedia]  An optional element on a COUNTER report used to identify the item for which usage is being reported.	
Usage Attributes	Fields or elements used to classify or qualify COUNTER usage for analysis.	Access_Type Access_Method Is_Archive YOP
User	A person who accesses the online resource	
User Agent, user-agent	An identifier that is part of the HTTP/S protocol that identifies the software (i.e. browser) which is being used to access the site. May be used by robots to identify themselves.	
User Session, user-session	See Session	
Username and Password	No definition required	
Vendor	A publisher or other online information provider who delivers licensed content to the customer and with whom the customer has a contractual relationship.	Taylor & Francis, EBSCO
Year of Publication	See YOP	
YOP	Calendar year in which an article, item, issue or volume is published.  For the COUNTER YOP attribute, use the year of publication for the print when it differs from the online.	
Z39.50	An international standard protocol created by NISO for search. A Z39.50 client can search any Z39.50 compatible online service. Often used by Federated Search services to facilitate searching content at other sites.	

